



COBO-500



2700K	3000K	4000K	6500K
5W/m (1.5W/ft)	5W/m (1.5W/ft)	5W/m (1.5W/ft)	5W/m (1.5W/ft)
482LM/m (147LM/ft)	520LM/m (158LM/ft)	575LM/m (175LM/ft)	560LM/m (171LM/ft)
10W/m (3W/ft)	10W/m (3W/ft)	10W/m (3W/ft)	10W/m (3W/ft)
960LM/m (293LM/ft)	1030LM/m (314LM/ft)	1140LM/m (347LM/ft)	1125LM/m (343LM/ft)
15W/m (4.6W/ft)	15W/m (4.6W/ft)	15W/m (4.6W/ft)	15W/m (4.6W/ft)
1418LM/m (432LM/ft)	1530LM/m (466LM/ft)	1700LM/m (518LM/ft)	1675LM/m (511LM/ft)

The COBO-500 Series from Southern State Lighting is an Ultra-high efficiency Chip-On-Board flexible lighting solution designed for architectural, commercial, and high-end residential applications. This is a 10mm wide body, which is compatible with all of our extrusion options. High color rendering and lack of diode-imaging make this an excellent all-around solution.



Catalog Nomenclature:

Series	Output	Color Temp	IP Rating
COBO	500	(CCT)	IP67

Body Width:	10mm	Input Voltage:	24VDC
Wattage/Ft:	4.6W	Beam Angle:	120 Degrees
Lumens/Ft:	432-518lm/ft	Max Run Length:	20ft
CCT's:	2700K, 3000K, 4000K, 6500K	Bin Sorting:	Single Bin
CRI:	90+	Bin Consistency:	3-Step MacAdam Ellipse
Cut Interval:	1.88" (50mm)	Driver Type:	Constant Voltage
IP Rating:	IP67	Dimming Capability:	0% With Compatible Driver
Rated Life:	L70>50,000 Hours	Certifications:	UL, CE, ROHS




COBO-500




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.


Triac dimming



0-10V dimming



Smart dimming





SOUTHERN STATE
LIGHTING

COBO-500

Applications






COBO-500

Compatible Extrusions

ESR-SOSL



ESR-REC



ESR-OTR




FSR-TRI



ESR-SOI




ESR-RC1




FSR-RND




ERC-SOSL



ERC-REC




ERC-WLK




ERC-RE1




ERC-RE2



ETL-SQ




ETL-KCK




ESU-SQSL




ESU-SOI



ESU-RCW



ESU-RCN



ESU-VTL




ERO-SLI



FRD-CIS




FAD-OVI



FAD-VT2



FAD-VT3



FAD-RND

